



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8 Latest revision: 05. 09. 2024 Date of issue: 20. 06. 2007 Page: 1/(13)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

MOL Hydro HM 68 hydraulic oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: hydraulic oil. Industrial use. Use by professional workers.
Consumer use.

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft.

Tel: +36 80 201 296

E-mail: EBKHelpdesk@MOL.hu

1.4. Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.

-



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 2/(13)

2.2. Label elements

Product identification: Trade name: **MOL Hydro HM 68 hydraulic oil**

Hazardous component(s): -

GHS Pictogram: Not required.

Signal word: Not required.

Hazard statement:

Not required.

Supplemental hazard information:

EUH210 Safety data sheet available on request

Precautionary statements – General:

-

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response:

-

Precautionary statements – Storage:

-

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile Warning and child-resistant fastening: Not required.

Transport classification: see section 14.

2.3. Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The product does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8 Latest revision: 05. 09. 2024 Date of issue: 20. 06. 2007 Page: 3/(13)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description: Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/ m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	<100
Residual oils (petroleum), solvent-dewaxed* REACH Registr. Nr.: 01-2119480472-38	265-166-0	64742-62-7	- (Note L)	-	max 25
Distillates (petroleum), solvent-dewaxed light paraffinic REACH Registr. Nr.: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	H304	max. 10.0

*: with exposure limit

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 4/(13)

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2. Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3. Indication of any immediate medical attention and special treatment needed

Not required.

SECTION 5: Fire-fighting measures

Fire hazards:

Combustible.

5.1. Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 5/(13)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2. Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

6.3. Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known.

7.2. Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well-ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

7.3. Specific end use(s)

Hydraulic oil.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 6/(13)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2. Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Protective goggles if potential for splash may exist (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions of application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- | | |
|--|-----------------------|
| a) Physical state: | liquid |
| b) Colour: | yellow, bright, clear |
| c) Odour: | characteristic |
| d) Melting point/freezing point (Pour point) (ISO 3016): | typ. -27°C |
| e) Boiling point or initial boiling point and boiling range (DIN 51356): | not available |
| f) Flammability: | combustible |
| g) Lower and upper explosion limit: | not explosive |



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 7/(13)

h) Flash point (COC) (EN ISO 2592):	typ. 240°C
i) Auto-ignition temperature:	not available
j) Decomposition temperature:	not available
k) pH:	not applicable
l) Kinematic viscosity (EN ISO 3104)	
Kinematic viscosity at 40°C:	typ. 66.5 mm ² /s
Kinematic viscosity at 100°C:	typ. 8.3 mm ² /s
m) Solubility	
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n) Partition coefficient n-octanol/water (log value):	not available
o) Vapour pressure at 20°C:	negligible
p) Density and/or relative density at 15°C (EN ISO 12185)	0.875 – 0.895 g/cm ³
q) Relative vapour density:	not available
r) Particle characteristics:	not available

9.2. Other information

Oxidizing properties:	not oxidize
Heating value:	inf. 38 000 kJ/kg

SECTION 10: Stability and reactivity

10.1. Reactivity	Dangerous reactivity not known.
10.2. Chemical stability	No decomposition if stored and handled properly.
10.3. Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	Direct heat or ignition sources.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral:	LD ₅₀ (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	(based on components)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 8/(13)

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral: LD₅₀ (rat) > 5000 mg/kg

Dermal: LD₅₀ (rabbit) > 2000 mg/kg

Inhalation: LC₅₀ (rat) > 5.53 mg/L

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Oral: LD₅₀ (rat) > 5000 mg/kg OECD 401

Dermal: LD₅₀ (rabbit) > 5000 mg/kg OECD 402

Inhalation: LC₅₀ (rat) > 5.53 mg/L (4 h) OECD 403

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Oral: LD₅₀ (rat) > 5000 mg/kg

Dermal: LD₅₀ (rabbit) > 2000 mg/kg

Inhalation: LC₅₀ (rat) > 5.53 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2. Information on other hazards

The product does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12: Ecological information

12.1. Toxicity

No data for the product.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Fishes: LC₅₀ > 100 mg/L

Daphnia: EC₅₀ > 100 mg/L

Other aquatic organisms: EC₅₀ > 100 mg/L

Other living beings: TLM >1 mg/L



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 9/(13)

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Fishes (Pimephales promelas): LL₅₀ >100 mg/L 96 h (OECD 203)

Fishes: NOEL ≥100 mg/L

Daphnia (Daphnia magna): EL₅₀ >10 000 mg/L 48 h (OECD 202)

Daphnia: NOEL ≥1000 mg/L

Daphnia: NOEL 10 mg/L 21 days (OECD 211)

Gammarus pulex: LL₅₀ >10 000 mg/L 96 h (OECD 202)

Aquatic invertebrates: NOEL ≥10 000 mg/L

Algae (Pseudokirchneriella subcapitata): NOEL ≥100 mg/L 72 h (OECD 201)

Activated sludge

(Photobacterium phosphoreum): NOEL 1.93 mg/L 96 h

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Fishes: LC₅₀ > 100 mg/L

Daphnia: EC₅₀ > 100 mg/L

Other aquatic organisms: EC₅₀ > 100 mg/L

Other living beings: TLM > 1 mg/L

12.2. Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil:

Absorbs in soil.

Mobility in water:

Floats on water.

12.5. Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.

12.6. Endocrine disrupting properties

The product does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

12.7. Other adverse effects

Heavy metal content:

None.

PCT, PCB and other chlorinated hydrocarbons:

None.

Environmental effects:

Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing impaired oxygen transfer.

Water hazard class (German):

WGK 1 (Classification by AwSV)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8 Latest revision: 05. 09. 2024 Date of issue: 20. 06. 2007 Page: 10/(13)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 01 10*

Mineral based non-chlorinated hydraulic oils.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations.

It is the responsibility of the user to know all relevant national and local regulations.

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations.

It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14: Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

14.1. UN number or ID number

Not classified.

14.2. UN proper shipping name

Not classified.

14.3. Transport hazard class(es)

Not classified.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8 Latest revision: 05. 09. 2024 Date of issue: 20. 06. 2007 Page: 11/(13)

14.4.	Packing group		Not classified.
14.5.	Environmental hazards		Not classified.
14.6.	Special precautions for user		Not classified.
14.7.	Maritime transport in bulk according to IMO instruments		Not applicable
	Waterways:		
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
	Air transport:	ICAO / IATA:	Not apply to the product.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.
Seveso category: not classified.
- 15.2. Chemical safety assessment.
Not available.

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 12/(13)

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways.

Asp. Tox. 1 Aspiration hazard Category 1

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ex	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Kft.

Trade name: **MOL Hydro HM 68 hydraulic oil**

Version: 8

Latest revision: 05. 09. 2024

Date of issue: 20. 06. 2007

Page: 13/(13)

NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
3 1, 4, 5, 13, 14	Ingredients / Hazardous components Other corrections	10. 08. 2009	2
1-16	Regulatory information, other corrections	13. 10. 2010	3
3 9 1-16	Composition/information on ingredients Physical and chemical properties Revision modification according to 1272/2008/EC and 453/2010/EC	05. 11. 2012	4
1 3 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Composition/information on ingredients Other corrections, revision modification according to 2015/830 /EU	05. 10. 2015	5
2.2, 14 3 9 1-16	Regulatory information Composition/information on ingredients Physical and chemical properties Other corrections	05. 03. 2018	6
1-16	Full revision due to composition change Revision modification according to 2020/878/EU	02. 11. 2021.	7
2.2. 3. 11. 12.	Label elements Composition/information on ingredients Toxicological information Ecological information	05. 09. 2024	8